

HI-DEFINITION AUTO PRINTER WITH CIS 50 DISCS OR 100 DISCS

The Pandora auto-printer with the continuous ink system (CIS) has the ability to print as many discs as needed at a super low cost per print without worrying about running out of ink.



SPECIAL FEATURES

- \sim Large Disc Capacity with 50* to 100* disc capacity
- \sim Continuous Ink System, providing a lower per item printing cost
- \sim Hands Free Automated inkjet CD, DVD, and BD (Blu-ray) Disc Printing
- \sim Strong Resolution with color inkjet printing at up to 5760 dpi
- ≈ Software includes: Printing Software compatible with Windows® 7 (32 Bit, 64 Bit), Windows Vista® (32 Bit, 64 Bit), and Windows XP (32 Bit, 64 Bit)
- ≈ Ultra Hi-Definition prints with Claria® 6-color inks, for images with richness, depth, and clarity
- ≈ Individual ink cartridges that lower per print cost by replacing only the color(s) needed











Model Number	PDAL80-50	PDAL80-100
Disc Capacity:	50 discs	100 discs
Print Method	Inkjet	
Safety Approvals	Safety standards UL60950-1, CSA C22.2 No. 60950-1 EMI FCC Part 15 subpart B class B CAN/CSA-CEI/IEC CISPR 22 class B	
Ink Palette	Black, Cyan, Light Cyan, Magenta, Light Magenta and Yellow	
Ink Cartridge Configuration	6 individual ink cartridges	
Ink Type	Claria™ Hi-Definition Ink	
Maximum Resolution (dots per inch)	5760 x 1440 optimized dpi	
Color Management	Auto Photo Correction and ICM	
Media Type	Standard 120mm Inkjet Printable-surface Blu-rays, CDs and DVDs, Standard, Glossy, or water-resistant	
Maximum Print Width	4.724" (120mm)	
Minimum System Requirements for PC	• CPU: Pentium 4 - 2.4GHz • RAM: 512MB • 3 x Hi-Speed USB 2.0	
Operating Systems	Windows® 7 (32 Bit, 64 Bit), Windows Vista® (32 Bit, 64 Bit), Windows XP (32 Bit, 64 Bit)	
Software Included	Printer driver, Disc Design Software, Pandora Auto-Printer Software	
Warranty	*1 year parts & labor against manufacturer defect. Warranty excludes physical damage or defect due to neglect or deliberate damage caused by the user. **Warranty is specific to the loading mechanism only. The disc tray is a non-warranted consumable item. Replacement disc trays are available for purchase if needed. ***The support and warranty on the Printer is covered through the printer manufacturer and the user should contact that company directly.	
Power Requirements	Rated voltage: 120 VAC Rated frequency: 50 – 60 Hz Rated current: 0.6 Amp	
Weight and Dimensions	• 21 x 23.25 x 8.25 inches (16.75" H with input rods and output bin installed) • Weight: 25 lb	• 21 x 23.25 x 8.25 inches (19.50" H with input rods and output bin installed) • Weight: 25 lb
Temperature	• Operating: 50 ° to 95 °F (10 ° to 35 °C) • Storage: -4 ° to 140 °F (-20 ° to 60 °C)	
Relative Humidity	• Operating: 20 - 80% • Storage: 5 - 85%"	
Safety Approvals	Safety standards UL60950-1, CSA C22.2 No. 60950-1 EMI FCC Part 15 subpart B class B CAN/CSA-CEI/IEC CISPR 22 class B"	